



NAME Amr Reda Mohammed Elgazar		Passport No :A19744374 Receipt No:8856601	Payment Date :18-08-2021 10:29:17 AM Result Date:18-08-2021 04:24:13 PM	Branch Al-Khairia
Date Of Birth 25-03-1988	National ID 28803251201928	Visit Number 8755995	Nationality EGYPTIAN	

Molecular Biology

Test	Result	Reference Range
COVID-19 by RT-PCR	Positive	Negative
-- Specimen type: Nasopharyngeal Swab on Viral Transport Media. -- Test Methodology: COVID-19 Detection Kit is an in vitro diagnostic assay intended for Real-time PCR based detection of new SARS-CoV-2 RNA virus for confirmation of COVID-19 disease in patients with suspect viral infection.		

End of Report

Reviewed By: Dr.Amr Gazar

Approved By: Dr.Ahmed Fathallah

Consultant Pathologist

Printed Date: 31-08-2021

Printed at: 04:24:13 PM

Misr International Lab
معمل مصر الدولي
ت. 010 43529 / ف. 010 62886365

Misr International Lab
Dr/Hala Elsakhawy
Consultant Pathologist

Headquarters: 7 Al-Ahram Roxy Street

+20 100 0030362

Tanta - 51 Elgesht st. above Magrabi Hospital

+20 0114 2248062

Misr[®]
International Lab



ISO 9001/2015

(02) 040 340 4002



NAME Amr Reda Mohammed Elgazar		Passport No :A19744374	Payment Date :18-08-2021 10:29:17 AM	Branch
		Receipt No:8856601	Result Date:18-08-2021 04:24:13 PM	Cairo
Date Of Birth 25-03-1988	National ID 28803251201928	Visit Number 8755995	Nationality EGYPTIAN	

Item Type	Item Name	Value
Test	COVID-19 by RT-PCR	1350

Total Amount: 1150
Discount: 0
Final Amount: 1150
Total Received: 1150
Balance Amount: 0

Current Receipt Amount: 1150
Payment User Name: Dr. Amr Gazar
Payment Date Time: 18-08-2021 10:29:17 AM

Total : 1350 L.E

Headquarters: 7 Al-Ahram Roxy Street

☎ +20 100 0030362

Tanta - 5] Elgesh st, above Magrabi Hospital

☎ +20 0114 2248062

Misr[®]
International Lab



ISO 9001/2015

☎ (02) 040 340 4002